





## STANDARD DOUBLE Y'S

2-1/8" OD to 4" OD  
16 GAUGE  
MATERIAL

5" OD and 6" OD  
14 GAUGE  
MATERIAL



Expanded Ends standard\*.  
Straight and Expanded  
combinations available.

Straight Ends available  
on all sizes by request.

\* Except Utility Y's



## Standard Double Y's

11 Gauge Y's Available

### STANDARD DOUBLE 90° TY'S

PART NO.	SIZE	A(OD)	B	C	F(OD)	H	K
DTY-215	2-1/8"	2-1/8"	5"	9-5/32"	2-1/8"	8-13/16"	9-1/2"
DTY-256	2-1/2"	2-1/2"	6"	10-1/2"	2-1/2"	10-1/32"	10"
DTY-307	3"	3"	7-1/2"	12-3/8"	3"	11-25/32"	11-1/2"
DTY-358	3-1/2"	3-1/2"	8-3/4"	14-1/8"	3-1/2"	13-11/32"	13"
DTY-409	4"	4"	10"	15-7/8"	4"	14-29/32"	14"
DTY-515	5"	5"	12-1/2"	19-3/8"	5"	18-5/8"	18-1/2"
DTY-615	6"	6"	15"	22-7/8"	6"	22-11/32"	21"

### STANDARD DOUBLE 45° YL'S

PART NO.	SIZE	A(OD)	B	C	F(OD)	H	K
DYL-2151	2-1/8"	2-1/8"	5"	9-3/32"	2-1/8"	4-11/16"	9-1/2"
DYL-2561	2-1/2"	2-1/2"	6"	10-5/32"	2-1/2"	5-3/16"	10"
DYL-3071	3"	3"	7-1/2"	11-19/32"	3"	5-29/32"	11-1/2"
DYL-3581	3-1/2"	3-1/2"	8-3/4"	12-31/32"	3-1/2"	6-9/16"	13"
DYL-4091	4"	4"	10"	14-11/32"	4"	7-1/4"	14"
DYL-5151	5"	5"	12-1/2"	17-9/16"	5"	9"	18-1/2"
DYL-6151	6"	6"	15"	20-25/32"	6"	10-15/32"	21"

### STANDARD DOUBLE 90° Y'S

PART NO.	SIZE	A(OD)	B	C	F(OD)	H	K
DY-215	2-1/8"	2-1/8"	5"	7"	2-1/8"	7"	-
DY-256	2-1/2"	2-1/2"	6"	8"	2-1/2"	8"	-
DY-307	3"	3"	7-1/2"	9-1/2"	3"	9-1/2"	-
DY-358	3-1/2"	3-1/2"	8-3/4"	10-3/4"	3-1/2"	10-3/4"	-
DY-409	4"	4"	10"	12"	4"	12"	-
DY-515	5"	5"	12-1/2"	15-1/8"	5"	15-1/8"	-
DY-615	6"	6"	15"	18-1/4"	6"	18-1/4"	-

### STANDARD UTILITY Y'S

PART NO.	SIZE	A(OD)	B	C	F(OD)	H	K
UY-2151	2-1/8"	2-1/8"	6"	6"	2-1/8"	5"	11-7/16"
UY-2561	2-1/2"	2-1/2"	6"	6"	2-1/2"	5-1/8"	11-21/32"
UY-3071	3"	3"	6"	6"	3"	5-5/16"	11-15/16"
UY-3581	3-1/2"	3-1/2"	7"	7"	3-1/2"	6-3/16"	13-29/32"
UY-4091	4"	4"	8"	8"	4"	7-1/16"	15-29/32"
UY-5151	5"	5"	10"	10"	5"	8-27/32"	19-7/8"
UY-6151	6"	6"	12"	12"	6"	10-19/32"	23-27/32"

D Expansion Depth 1-1/4" thru 4" OD, 1-1/2" for 5" and 6" OD  
E Inside Diameter (ID) = A Outside Diameter (OD)  
G Inside Diameter (ID) = F Outside Diameter (OD)  
L Expansion Depth 1-1/4" thru 4" OD, 1-1/2" for 5" and 6" OD

All reference dimensions are nominal.  
Catalog Part Variations Available Upon Request.